

<p>Area around ladder should be free from debris and tripping hazards.<i>(orders for house keeping and cleanup may be issued)</i></p>	<p>23(1)(b) 25(1)(d) 27(1)(a) 28(2)(b)</p>	<p>35 72</p>
<p>Ladder Jacks may only to be used if they comply with 213/91. They must be designed by a P. Eng. As a unit. (guard-rails etc.) <i>(Units not designed by a P.Eng will be issued a Stop work order)</i></p>	<p>23(1)(b) 25(1)(d) 27(1)(a) 28(2)(b)</p>	<p>95(2) 134 135</p>
<p>Worker may not work from the three steps from the top of the ladder. (Section 83 for step ladder) (Section 25(2)(h) for extension ladders and refer to CSA guide) <i>(Stop work order may be issued)</i></p>	<p>23(1)(b) 25(1)(d) 27(1)(a) 28(2)(b) 25(2)(h)</p>	<p>83(2) for step ladders Refer them to CSA guidelines on ladders</p>
<p>Worker must be within centre of gravity of the ladder and must have two feet on the rungs at all times while working. <i>(Stop work order will be issued, and orders for a suitable work platform)</i></p>	<p>23(1)(b) 25(1)(d) 27(1)(a) 28(2)(b) 25(2)(h)</p>	<p>134 (as applicable) 135 (as applicable)</p>
<p>When working from a ladder, the worker is not to work above the level of a existing adjacent guard-rails without the use of proper fall protection. <i>(Stop work orders will be issued)</i></p>	<p>23(1)(b) 25(1)(d) 27(1)(a) 28(2)(b)</p>	<p>26.1(1) 26.1(2)</p>
<p>Ensure ladder is class one ladder. <i>(Class 2 and 3 ladders will be ordered out of service when encountered)</i></p>	<p>23(1)(b) 25(1)(d) 27(1)(a) 28(2)(b)</p>	<p>78(1)</p>

<p>Ladders will only be used as a last resort and for short duration work, (under 30 minutes per use) or when it is not reasonably practical to use another approved method for performing work safely. <i>(Stop work orders, scaffolding orders)</i></p>	<p>23(1)(b) 25(1)(d) 27(1)(a) 28(2)(b)</p>	<p>134 (as applicable) 135 (as applicable)</p> <p>Intended for use of ladders in large open areas where proper scaffolding or elevating platforms can access work areas.</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Note: Inspectors will discuss with employers and workers methods of performing work other than by use of ladders. Ladders should always be the “last choice”, reserved for situations when other safer solutions will not work, or space does not permit their use.